

SOLFODAC AC-3-H

Technical Data Sheet No. 4003 – March 2020



Distribuito da:




Tellerini s.p.a.

Via Bonazzi, 36
40013 Castel Maggiore (BO)
Tel: +39 051 6322111
Fax: +39 051 715380
sicurezza@tellerini.it
www.tellerini.it

Product Description

SOLFODAC AC-3-H is the sulphonic acid of HYBLENE 113 linear alkyl benzene.
It is manufactured in Terranova dei Passerini (Lodi, Italy) plant. The chemical structure is the following:



CAS registry no. 85536-14-7
EINECS no. 287-494-3

Sales Specification

Property	Test Method	Unit	Guaranteed Value ¹
√ Appearance at 25°C	ASTM E284	-	liquid
√ Anionic active matter (MW = 320)	ASTM D3049	% mass	≥ 96,5
√ Unsulphonated matter	EN 13273	% mass	≤ 2,5
√ Sulphuric acid	ISO 6844	-	≤ 1,2
√ Colour (5% m/v in Isopropanol)	EN 1557	Klett	≤ 40
√ Water (Karl-Fischer)	EN 13267	% mass	≤ 0,5

√ value reported on inspection certificate.

¹ specification No. 7050 rev. 4 of December 22nd, 2015.

Additional Properties

Property	Test Method	Unit	Typical Value
Total 2-Phenyl Isomer (+)	RCM 1103	% mass	30
Viscosity at 20°C	ASTM D446	cSt	1.077
Viscosity at 40°C	ASTM D446	cSt	784
Density at 20°C	ASTM D4052	kg/m ³	1.050
Density at 30°C	ASTM D4052	kg/m ³	1.040
Flash point	ASTM D 93	°C	> 125

(+) value determined on raw material HYBLENE 113

RCM are Sasol Italy analytical methods, internal or referred to international standard. Additional information available upon request.



sasol

SOLFODAC AC-3-H

Technical Data Sheet No. 4003 – March 2020

Main Applications

SOLFODAC AC-3-H is an intermediate for the production of the anionic surfactant, linear alkyl benzene sulphonate sodium salt.

In detergency field the sodium salt of SOLFODAC AC-3-H is used as high performance anionic surfactant in Heavy Duty Liquid, Heavy Duty Powder, Hand Dish Washing and Industrial Degreasing formulations.

SOLFODAC AC-3-H salts is used as surfactant for Enhanced Oil Recovery at high temperature.

Handling and Storage

SOLFODAC AC-3-H should be stored preferably in stainless steel tanks or plastic receptacles.

SOLFODAC AC-3-H must be stored at temperature below 40°C and avoid exposure to light in order to minimise hydrolysis and darkening phenomena.

Storage tanks must be heated with water warmed at a temperature below 50°C. The use of steam to warm up the product is absolutely prohibited.

SOLFODAC AC-3-H is a viscous liquid and soluble in water at room temperature.

Shelf-life is 7 months from production date for product in its original and sealed packaging.

Packaging

SOLFODAC AC-3-H is generally supplied in plastic drums, details on available packaging can be obtained from sales department.

Data regarding safety, transport classes, toxicology and biodegradability of the product can be obtained from the corresponding material safety data sheet.

Sasol Italy S.p.A.

Headquarters
Viale Forlanini, 23
20134 Milano, Italy
Phone +39-02 58453 1
Fax +39-02 58453 285

Technical Customer Support
Via E. Mattei, 4
26827 Terranova dei Passerini (LO), Italy
Phone +39-0377 463 1
Fax +39-0377 463 226

Sasol is a registered trademark of Sasol Ltd. Product trademarks displayed in this document are the property of the Sasol Group of companies, except where it is clear from the context that not. Users of this document are not permitted to use these trademarks without the prior written consent of their proprietor. All rights not expressly granted are reserved. Reference to trademarks used by other companies is neither a recommendation, nor should it give the impression that products of other companies cannot be used.

The information contained in this document is based on Sasol's knowledge and experience at the time of its creation. We reserve the right to make any changes to this document or the products described therein, as a result of technological progress or developments. This information implies no liability or other legal responsibility on our part, including with regard to existing third-party patent rights. In particular, no guarantee or warranty of properties in the legal sense is implied. The customer is not exempted from the obligation to conduct careful inspection and testing of incoming products. All our business transactions are governed exclusively by our General Business Terms.