

# MARLOX 11027

Technical Data Sheet No. 2810 – November 2015



**sasol**

Distribuito da:



**Tellerini s.p.a.**

Via Bonazzi, 36  
40013 Castel Maggiore (BO)  
Tel: +39 051 6322111  
Fax: +39 051 715380  
[sicurezza@tellerini.it](mailto:sicurezza@tellerini.it)  
[www.tellerini.it](http://www.tellerini.it)

## Product Description

MARLOX 11027 is a fatty alcohol poly-glycol ether, based on LIAL 111, ethylene oxide and propylene oxide. It is manufactured in Terranova dei Passerini (LO) plant.

## Sales Specification

Property	Test Method	Unit	Guaranteed Value <sup>1</sup>
√ Appearance at 25°C	Visual	-	Clear liquid
√ Colour	RCM 3668	APHA	≤ 100
√ Cloud point (1% in water)	RCM 3646	°C	26 – 28
√ pH (5%)	RCM 3645	-	4,0 – 7,0
√ Free Water (Karl Fischer)	RCM 3804	% mass	≤ 0,50

√ value reported on inspection certificate.

<sup>1</sup> specification No. 1320 rev. 2 of February 5<sup>th</sup> 2007.

## Additional Properties

Property	Test Method	Unit	Typical Value
Average Molecular weight	Calculated	g/mol	800
Viscosity at 25°C	ASTM D445 / ASTM D7042	cSt	79
Density at 25°C	ASTM D7042 / ASTM D4052	kg/m <sup>3</sup>	994
Flash point	ASTM D 93	°C	> 125

RCM and MPL are Sasol Italy analytical methods, internal or referred to international standard. Additional information available upon request.



**sasol**

# MARLOX 11027

Technical Data Sheet No. 2810 – November 2015

---

## Main Applications

MARLOX 11027 is a very low foaming wetting agent, used in formulations for textile processing (pre-treatment and dyeing) and textile finishing where the foam formation cannot be controlled with standard non-ionic alcohol ethoxylates.

MARLOX 11027 can be used in extreme agitated systems like e.g. in jet dyeing, due to its low foaming behaviour.

In textile field MARLOX 11027 is used as non-ionic degreaser.

In detergency field MARLOX 11027 is used as low foaming surfactant in I&I formulations for floor cleaning and as rinse aid in Automatic Dish Washing.

---

## Handling and Storage

MARLOX 11027 should preferably be stored in stainless steel tanks.

It is suggested to keep the product at temperature below 30°C, it is preferable to avoid heating above 50°C and to store under nitrogen in order to minimise yellowish phenomena.

MARLOX 11027 is a clear liquid at room temperature it becomes a solid wax at temperature lower than 0°C. Improvement of appearance and handling at low temperature can be achieved by mixing the product with 5 weight% water to obtain a clear liquid up to a temperature about -20 C°.

MARLOX 11027 is soluble in water at room temperature at any concentration.

Shelf-life is 36 months from production date for product in its original and sealed packaging.

---

## Packaging

MARLOX 11027 is generally supplied in drums, details on available packaging can be obtained from sales department.

---

Data regarding safety, transport classes, toxicology and biodegradability of the product can be obtained from the corresponding material safety data sheet.

---

### Sasol Italy S.p.A.

Headquarters  
Viale Forlanini, 23  
20134 Milano, Italy  
Phone +39-02 58453 1  
Fax +39-02 58453 285

Technical Customer Support  
Via E. Mattei, 4  
26827 Terranova dei Passerini (LO), Italy  
Phone +39-0377 463 1  
Fax +39-0377 463 226

This information is based on our present knowledge and experience. but it is not a guarantee of the performance of our products since the conditions of use are not under our direct control.

However, it implies no liability or other legal responsibility on our part, including any existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. All our business transactions shall be governed exclusively by our General Sales Conditions.

Sasol is a registered trademark of Sasol Ltd. Product trademarks displayed in this document are the property of the Sasol Group of Companies. Users of this document are not permitted to use these trademarks without the prior written consent of their proprietor. All rights not expressly granted are reserved.